



Pressure/Temperature

Pressure/Temperature Ratings psig

Temp. *F	Class 150	Class 300	Class 600	Class 900	Temp. *C
	CS/SS	CS/SS	CS/SS	CS/SS	
-20 to 100	285/275	740/720	1480/1440	2220/2160	-29 to 8
200	260/240	675/620	1350/1240	2205/1860	93
300	230/215	655/560	1315/1120	1970/1680	149
400	200/195	635/515	1270/1030	1900/1540	204
500	170/170	600/480	1200/955	1795/1435	260
600	140/140	550/450	1095/905	1640/1355	316
650	125/125	535/445	1075/890	1610/1330	343
700	110/110	535/430	1065/865	1600/1295	371
750	95/95	505/425	1010/845	1510/1270	399
800	80/80	410/415	825/830	1235/1245	427
850	65/65	270/405	535/810	805/1215	454
900	50/50	170/395	345/790	515/1180	482
950	35/35	105/385	205/775	310/1160	510
1000	20/20	50/365	105/725	155/1090	538

Note:

WCB permissible but not recommended for prolonged use above 800°F (427°C).